

## Erratum: “Single-cycle terahertz pulses with amplitudes exceeding 1 MV/cm generated by optical rectification in LiNbO<sub>3</sub>” [Appl. Phys. Lett. 98, 091106 (2011)]

H. Hirori,<sup>1,2,a)</sup> A. Doi,<sup>2,3</sup> F. Blanchard,<sup>1,2</sup> and K. Tanaka<sup>1,2,4</sup>

<sup>1</sup>Institute for Integrated Cell-Material Sciences, Kyoto University, Sakyo-ku, Kyoto 606-8501, Japan

<sup>2</sup>CREST, Japan Science and Technology Agency, Kawaguchi, Saitama 332-0012, Japan

<sup>3</sup>Olympus Corporation, Hachioji-shi, Tokyo 192-8512, Japan

<sup>4</sup>Department of Physics, Graduate School of Science, Kyoto University, Sakyo-ku, Kyoto 606-8502, Japan

(Received 30 November 2013; accepted 6 December 2013; published online 17 December 2013)

[<http://dx.doi.org/10.1063/1.4854095>]

The unit of grating groove density was incorrect (on page 091196-1 in the caption of Fig. 1, on page 091196-2 in Fig. 2, and on page 091196-2 column 1 line 39). The correct groove density of the grating used in this study should be 1800 mm<sup>-1</sup> and not 1800 cm<sup>-1</sup>. Figure 2 should be replaced by the following figure, where annotations are modified to show the correct values. These corrections do not affect any other part of the article and conclusions.<sup>1</sup>




FIG. 2. Calculated magnifications of the pump-pulse front  $\beta_1$  for the different grating grooves and the grating image  $\beta_2$  as a function of  $\theta_d$  in Eqs. (1) and (2), respectively.

<sup>1</sup>H. Hirori, A. Doi, F. Blanchard, and K. Tanaka, “Single-cycle terahertz pulses with amplitudes exceeding 1 MV/cm generated by optical rectification in LiNbO<sub>3</sub>,” *Appl. Phys. Lett.* **98**, 091106 (2011).

<sup>a)</sup>Electronic mail: hirori@icems.kyoto-u.ac.jp.